

440 Passmore Avenue
Scarborough, Ont. M1V5J8
Tel: (416) 609-9077

WOOD WYANT INC.

230832

For MSDS Update
1-800-361-7691

Sanitation for the Nation

MATERIAL SAFETY DATA SHEET

By the criteria of the CONTROLLED PRODUCTS REGULATION this material is a CONTROLLED PRODUCT

MATERIAL IDENTIFICATION AND USE

Trade Name: New Age Maintenance Cleaner

WHMIS Class: D2B, B3

Recommended Use: As an Institutional and Industrial cleaner for New Age Top Coat floor finish

Health Rating: 0 = insignificant 1 = slight 2 = moderate 3 = high 4 = extreme

Health: 2 Flammability: 2 Reactivity: 0 Special Warning: None

II HAZARDOUS INGREDIENTS

	T.L.V.	LD ₅₀ / LC ₅₀	CAS	%
Ethylene Glycol mono Butyl Ether	25ppm. (skin)	1746 mg/kg (oral-rat) 700 ppm (7 hr-mouse)	111-76-2	10-25
Isopropanol	400 ppm	435 mg/Kg (dermal-rabbit) 5045 mg/kg (oral-rat) 12000 mg/kg (dermal-rabbit)	67-63-0	5-10

III PHYSICAL DATA

Physical State: Liquid

Odour: Slight Solvent

Colour: Blue

Specific Gravity: 0.9662

Viscosity: As Water

Solubility in Water: Completely Miscible

Vapour Density: Heavier than air.

% Non Volatile: 0.3 - 0.4

pH: N. Av.

Clarity: N. Av.

Boiling Point: 179° - 343° F

IV FIRE AND EXPLOSION DATA

Flash Point (FTCC): ≥101°

Hazardous Combustion Products: Oxides of carbon

Extinguishing Media: Water fog, foam, dry chemical, alcohol foam or carbon dioxide

Unusual Fire and Explosive Hazards: None

Special Procedures:

None required

V REACTIVITY DATA

Stability: Stable

Materials to Avoid: Strong acids and oxidizing agents.

Hazardous Decomposition Products: Oxides of carbon

N.Ap. = Not Applicable

N.Av. = Not Available

New Age Maintenance Cleaner

VI TOXICITY DATA**Primary Route of (Entry) Exposure:**

INHALATION: Deliberate inhalation of concentrated vapours may irritate nose and breathing passages and result in nausea, dizziness and drowsiness. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

EYES: Will cause irritation.

SKIN: Will cause defatting and drying of skin with prolonged contact.

INGESTION: Will cause irritation to mouth, throat and upper digestive tract resulting in nausea, vomiting, abdominal cramps and diarrhea.

Acute: As above.

Chronic: Exposure may aggravate previous medical conditions.

VII FIRST AID

INHALATION: If safe to enter area, remove victim to fresh air. Assist breathing as required.

EYES: Flush immediately with clean water for 15 minutes. Remove contact lenses. Hold eyelids apart to ensure complete rinsing. Consult a physician immediately.

SKIN: Rinse thoroughly with plenty of water. Consult a physician if irritation persists.

INGESTION: **DO NOT INDUCE VOMITING.** If victim is conscious, rinse mouth, then drink 1 or 2 glasses of water. Consult a physician immediately. Never give anything by mouth to an unconscious person.

VIII PREVENTATIVE MEASURES

Gloves: Nitrile or neoprene.

Eye Protection: Safety glasses.

Respiratory Protection: Use organic vapour cartridge respirator where appropriate.

Other Protective Equipment: As required to prevent contact with skin or clothing.

Engineering Controls:

Local Exhaust: Not normally required. Use ventilating equipment if product is used in a confined area with poor ventilation.

Leak & Spill Procedures:

Wipe up, mop up or soak up with an absorbent. Rinse area thoroughly with water.

Handling Procedures and

equipment: Remove and launder contaminated clothing. Avoid breathing spray mists. Use with adequate ventilation. Do not use in the presence of an ignition source. Do not smoke while using this product.

Storage Requirements:

KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Keep from freezing. Store away from extreme heat and sources of ignition.

IX ADDITIONAL INFORMATION

TDG Shipping Name: Exempt under TDG reg. 2.23.2

Prepared By: Technical Department

Date: October 1998

Revision based on updated data from Suppliers